



CCTV & Security
Solutions

Security Installer in London



SMART THREATS CALL FOR SMARTER SECURITY SYSTEMS
CCTV --- INTRUDER ALARMS --- INTERCOMS

info@aptcctv.co.uk

Contact Us For More Information.

 **020 7965 7473**

GET IN TOUCH
<http://aptcctv.co.uk>

TABLE OF CONTENTS

Professional IP CCTV 2

Starting Prices are for two camera system without hard drive

PROFESSIONAL IP CCTV



HIKVISION 4MP IP POE DOME COLORVU BUILT IN MIC COLOURVU WHITE DS-2CD2347G1-LU

- 1x NVR 4 channel Hikvision - DS-7604NI-K1/4P
- Optional HDD up to 20TB (pre installed)
- 1x NVR power supply (3PIN UK TYPE) and mouse
- Up to 4x 4MP COLOURVU DS-2CD2347G1-LU with Built in MIC
- 1x HDMI 2m cable
- 1x Power supply, mouse & remote
- 1x User manual & CD
- CCTV Installation & All Cables and connectors required to install cameras
- Configuration of Mobile remote viewing.
- Network cable to connect to the router

4 MP ColorVu Fixed Turret Network Camera

- Max. 2688 × 1520 @30fps
- 2.8 mm/4 mm/6 mm fixed lens
- H.265+, H.264+
- 120dB WDR
- Built-in mic (Optional)
- Built-in micro SD/SDHC/SDXC slot, up to 128G
- 0.0014 @ (F1.0, AGC ON), 0 Lux with Light
- 24/7 full time color

NVR DS-7604NI-K1/4P

- Third-party network cameras supported
- Up to 8 Megapixels resolution recording
- Support 1-ch HDMI, 1-ch VGA, HMDI at up to 4K resolution
- 4ch network cameras can be connected with 80M/160M incoming bandwidth
- SATA interfaces
- Plug & Play with up to 8 independent PoE network interfaces
- Support dual-os to ensure high reliability of system running
- Support various VCA detection alarm and VCA search
- Support H.265/H.264/MPEG4 video formats

[Read More](#)

SKU: N/A

Price: call for prices

Categories: [Professional IP CCTV](#), [Color at Night CCTV](#)



HIKVISION ACUSENSE 8MP 4K CCTV SYSTEM POE 4CH CHANNEL NVR DARKFIGHTER TURRET

What is Included

- 1x NVR 4 channel Hikvision - DS-7604NI-K1/4P
- Optional HDD up to 20TB (pre installed)
- 1x NVR power supply (3PIN UK TYPE) and mouse
- Up to 4x CCTV 8MP Hikvision Darkfighter IP Dome cameras in in white or grey DS-2CD2385G1-I
- 1x HDMI 2m cable
- 1x Power supply, mouse & remote
- 1x User manual & CD
- CCTV Installation & All Cables and connectors required to install cameras
- Configuration of Mobile remote viewing.
- Network cable to connect to the router

DS-2CD2386G2-ISU/SL

High quality imaging with 4K resolution

- Excellent low-light performance with powered-by-DarkFighter technology
- Clear imaging against strong back light due to 120 dB true WDR technology
- Efficient H.265+ compression technology
- False alarm reduction through human and vehicle target classification based on deep learning
- Active strobe light and audio alarm to warn intruders off
- Provides real-time security via built-in two-way audio
- Water and dust resistant (IP66)

AcuSense

Empowered by deep learning algorithms, Hikvision AcuSense technology brings human or vehicle target classification alarms to front- and back-end devices. The system can greatly reduce false alarms generated by targets other than humans or vehicles, vastly improving alarm efficiency and effectiveness.

DS-7600NI-I2 SERIES NVR

Features and Functions Professional and Reliable

- New logical and visualized GUI design
- Dual-OS design to ensure high reliability of system running
- ANR technology to enhance the storage reliability when the network is disconnected

Video Input and Transmission

- Adopt stream over TLS encryption technology (enhanced SDK service and RTP over HTTPS protocol) which provides more secure stream transmission service (max. 128 Mbps TLS stream outgoing bandwidth)
- Up to 32-ch IP cameras can be connected (up to 12 MP)
- Connectable to the third-party network cameras

Compression and Recording

- H.265+ compression effectively reduces the storage space by up to 75%
- Full channel recording at up to 12MP resolution

HD Video Output

- HDMI and VGA independent outputs provided
- HDMI Video output at up to 4K (3840 × 2160) resolution

Storage and Playback

- Up to 2 SATA interfaces for HDD connection
- 8/16-ch synchronous playback at up to 1080p resolution
- Important files management
- HDD health monitoring

Smart &POS Function

- Supports multiple VCA (Video Content Analytics) events
- Smart search for the selected area in the video; and smart playback to improve the playback efficiency
- Supports VCA search for fire/ship/temperature/temperature difference detection triggered video files
- POS information overlay on live view and playback
- POS triggered recording and alarm

Network & Ethernet Access

- Hik-Connect for easy network management
- Gigabit Ethernet network interface

[Read More](#)

SKU: 10063-1-1

Price: £850.00 - £1,500.00

Categories: [Advanced Motion Detection](#), [CCTV Packages](#), [Professional IP CCTV](#)



HIKVISION 8MP 4K UHD CCTV SYSTEM POE 4CH CHANNEL NVR DARKFIGHTER DOME CAMERA KIT

What is Included

- 1x NVR 4 channel Hikvision - DS-7604NI-K1/4P
- Optional HDD up to 20TB (pre installed)
- 1x NVR power supply (3PIN UK TYPE) and mouse
- Up to 4x CCTV 8MP Hikvision Darkfighter IP Dome cameras in in white or grey DS-2CD2385G1-I
- 1x HDMI 2m cable
- 1x Power supply, mouse & remote
- 1x User manual & CD
- CCTV Installation & All Cables and connectors required to install cameras
- Configuration of Mobile remote viewing.
- Network cable to connect to the router

NVR DS-7604NI-K1/4P

- Third-party network cameras supported
- Up to 8 Megapixels resolution recording
- Support 1-ch HDMI, 1-ch VGA, HMDI at up to 4K resolution
- 4ch network cameras can be connected with
- 80M/160M incoming bandwidth
- SATA interfaces
- Plug & Play with up to 8 independent PoE network interfaces
- Support dual-os to ensure high reliability of system running
- Support various VCA detection alarm and VCA search
- Support H.265/H.264/MPEG4 video formats

CAMERA DS-2CD2385G1-I

- Up to 8 megapixel high resolution
- Max. 3840 × 2160@20fps
- 2.8 mm fixed lens
- H.265, H.265+, H.264+, H.264
- 120dB WDR
- 12 V DC & PoE (802.3af, class 3)
- IR range: Up to 30 m
- Support on-board storage, up to 128 GB
- IP67
- BLC/3D DNR/ROI/HLC
- Color: 0.008 Lux @ (F1.2, AGC ON), 0.016 Lux @ (F1.6, AGC ON)

Darkfighter Technology

~ improving the cameras low light image quality


Exception Detection

~ scene change detection

With an IR range of up to 30m, an IP67 weather-proof housing and a working temperature of -30 °C to +60 °C, this camera perfect for a wide range of outdoor applications. This is supported by 3-axis adjustment for easy installation: Pan 0°~360°, Tilt 0°~75° and Rotate 0°~360°.

Smart Feature Set:

- Line Crossing Detection
- Intrusion Detection
- Unattended Baggage Detection
- Object Removal Detection



- Face Detection

Armed with enhancing features such as; high light compensation (HLC), back light compensation (BLC), 3D digital noise reduction (3D DNR), and 120dB wide dynamic range (WDR), the DS-2CD2385G1-I gives a high quality, detailed image in low-light environments.

[Read More](#)

SKU: 10063-1

Price: £685.00 - £1,115.00

Categories: [CCTV Packages](#), [Professional IP CCTV](#)



HIKVISION 8MP 4K UHD CCTV SYSTEM POE 8CH CHANNEL NVR DARKFIGHTER DOME CAMERA KIT

What is Included

- 1x NVR 4 channel Hikvision - DS-7604NI-K1/4P
- Optional HDD up to 20TB (pre installed)
- 1x NVR power supply (3PIN UK TYPE) and mouse
- Up to 4x CCTV 8MP Hikvision Darkfighter IP Dome cameras in in white or grey DS-2CD2385G1-I
- 1x HDMI 2m cable
- 1x Power supply, mouse & remote
- 1x User manual & CD
- CCTV Installation & All Cables and connectors required to install cameras
- Configuration of Mobile remote viewing.
- Network cable to connect to the router

NVR DS-7604NI-K1/4P

- Third-party network cameras supported
- Up to 8 Megapixels resolution recording
- Support 1-ch HDMI, 1-ch VGA, HMDI at up to 4K resolution
- 4ch network cameras can be connected with
- 80M/160M incoming bandwidth
- SATA interfaces
- Plug & Play with up to 8 independent PoE network interfaces
- Support dual-os to ensure high reliability of system running
- Support various VCA detection alarm and VCA search
- Support H.265/H.264/MPEG4 video formats

CAMERA DS-2CD2385G1-I

- Up to 8 megapixel high resolution
- Max. 3840 × 2160@20fps
- 2.8 mm fixed lens
- H.265, H.265+, H.264+, H.264
- 120dB WDR
- 12 V DC & PoE (802.3af, class 3)
- IR range: Up to 30 m
- Support on-board storage, up to 128 GB
- IP67
- BLC/3D DNR/ROI/HLC
- Color: 0.008 Lux @ (F1.2, AGC ON), 0.016 Lux @ (F1.6, AGC ON)

Darkfighter Technology

~ improving the cameras low light image quality


Exception Detection

~ scene change detection

With an IR range of up to 30m, an IP67 weather-proof housing and a working temperature of -30 °C to +60 °C, this camera perfect for a wide range of outdoor applications. This is supported by 3-axis adjustment for easy installation: Pan 0°~360°, Tilt 0°~75° and Rotate 0°~360°.

Smart Feature Set:

- Line Crossing Detection
- Intrusion Detection
- Unattended Baggage Detection
- Object Removal Detection



- Face Detection

Armed with enhancing features such as; high light compensation (HLC), back light compensation (BLC), 3D digital noise reduction (3D DNR), and 120dB wide dynamic range (WDR), the DS-2CD2385G1-I gives a high quality, detailed image in low-light environments.

[Read More](#)

SKU: 10063

Price: £765.00 - £2,150.00

Categories: [CCTV Packages](#), [Professional IP CCTV](#)



HIKVISION 8MP CCTV SYSTEM IP POE 8CH CHANNEL 4K UHD NETWORK NVR DOME OUTDOOR VANDAL PROOF CAMERA KIT

What is Included

- 1x NVR 8 channel Hikvision - DS-7608NI-K2/8P
- Optional HDD up to 12TB (pre installed if selected)
- Up to 8x CCTV 8MP IP Dome cameras in white or grey - DS-2CD2185FWD-I
- 1x HDMI 2m cable 1x NVR power supply (3PIN UK TYPE) and mouse 1x User manual & CD
- CCTV Installation & All Cables and connectors required to install cameras
- Configuration of Mobile remote viewing.
- Network cable to connect to router

NVR

- Third-party network cameras supported
- Up to 8 Megapixels resolution recording
- Support 1-ch HDMI, 1-ch VGA, HMDI at up to 4K resolution
- 8ch network cameras can be connected with
- 80M/160M incoming bandwidth
- Up to 2 SATA interfaces
- Plug & Play with up to 8 independent PoE network interfaces
- Support dual-os to ensure high reliability of system running
- Support various VCA detection alarm and VCA search
- Support H.265/H.264/MPEG4 video formats

CAMERA

- Up to 8 megapixel high resolution
- Max. 3840 × 2160@20fps
- 2.8 mm Fixed Lens
- H.265, H.265+, H.264+, H.264
- 120dB Wide Dynamic Range
- 3D Digital Noise Reduction
- DC12V & PoE (802.3af)
- IR range: up to 30m
- Support on-board storage, up to 128 GB
- IP67

[Read More](#)

SKU: 10044

Price: £1,443.40 - £2,149.00

Categories: [CCTV Packages](#), [Professional IP CCTV](#)

Tags: [CAMERA](#), [CCTV](#), [CHANNEL](#), [DOME](#), [HIKVISION](#), [IP](#), [KIT](#), [NVR](#), [POE](#), [UHD](#)





HIKVISION 8MP IP POE SYSTEM 4CH NVR DS-7604NI-K1/4P CCTV CAMERA OUTDOOR VANDAL PROOF DS-2CD2185FWD-I

What is Included

- 1x NVR 4 channel Hikvision - DS-7604NI-K1/4P Optional HDD up to 6TB (pre installed if selected)
- Up to 4x CCTV 8MP IP dome cameras - DS-2CD2185FWD-I (in white or grey)
- 1x HDMI 2m cable 1x NVR power supply (3PIN UK TYPE) and mouse 1x User manual & CD
- CCTV Installation & All Cables and connectors required to install cameras
- Configuration of Mobile remote viewing.
- Network cable to connect to router

DVR FEATURES:

- Up to 8 Megapixels resolution recording
- Support 1-ch HDMI, 1-ch VGA, HMDI at up to 4K(3840x2160) resolution
- 4-ch network cameras can be connected with 40M/60M/80M incoming bandwidth
- Support dual-os to ensure high reliability of system running
- Plug & Play with up to 4 independent PoE network interfaces
- Support various VCA detection alarm and VCA search
- Support H.265/H.264/MPEG4 video formats

CAMERA FEATURES:

- Up to 8 megapixel high resolution
- Max. 3840 × 2160@20fps
- 2.8 mm fixed lens
- H.265, H.265+, H.264+, H.264
- 120dB Wide Dynamic Range
- 3D Digital Noise Reduction
- DC12V & PoE (802.3af)
- IR range: 30m
- Support on-board storage, up to 128 GB
- IP67, IK10

[Read More](#)

SKU: 10048

Price: £605.00 - £1,005.00

Categories: [CCTV Packages](#), [Professional IP CCTV](#)

Tags: [CAMERA](#), [CCTV](#), [HIKVISION](#), [IP](#), [NVR](#), [POE](#)



